



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/695,737

10/30/2003

Min-Jung Kim

P-0609

6181

34610 7590 02/16/2010

KED & ASSOCIATES, LLP

P.O. Box 221200

Chantilly, VA 20153-1200

EXAMINER

LIM, STEVEN

ART UNIT

PAPER NUMBER

2617

MAIL DATE

DELIVERY MODE

02/16/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/695,737	Applicant(s) KIM ET AL.	
	Examiner STEVEN LIM	Art Unit 2617	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 December 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,4,6,11,15-17,19,24,27 and 28 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1,2,4,11 and 15 is/are allowed.
- 6) ☒ Claim(s) 6,16,17,19,24,27 and 28 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/12/2009 has been entered.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.

Art Unit: 2617

4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
3. Claims 6 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hiramatsu et al. (US 6600933) in view of Ohashi (US 5799245) and Eastmond et al. (US 6088337) and further in view of Odenwalder et al. (US 6795508) and Weerackody et al. (US 5689439).
4. Regarding Claims 6 and 19, Hiramatsu et al. discloses a antenna selection system including transmitting a data block through a first one of a plurality of selected antennas (Col. 1, Lines 25-30, Fig. 1), receiving a first signal indicating through a check that an error occurred during transmission or reception of the data block after the data block is sent (Col. 6, Lines 41-54), selecting a second one of the plurality of antennas in response to the first error signal and retransmitting the data block through the second one of the plurality of antennas (base station performs antenna change control, Col. 6, Lines 41-54), however Hiramatsu et al. fails to disclose transmitting a second data block through a second one of the plurality of antennas, the first data block is retransmitted in consecutive sequence with the second data block transmitted by the second one of the plurality of antennas, a sequential antenna selection and interruption of sequential selection of the plurality of antennas preventing the first data block from being retransmitted through the first one of the plurality of antennas; transmitting additional data blocks through the sequentially selected antennas, receiving a second error signal, interrupting the consecutive transmission of additional data blocks in response to the second error signal, and transmitting one or more subsequent data blocks through a

Art Unit: 2617

third antenna, where the third antenna is the same as the first antenna or is different from the first and second antennas.

5. In an analogous art, Odenwalder et al. discloses transmitting a second data block through a second one of the plurality of antennas (first and second group of code channels are transmitted at the same time, Col. 4, Line 67- Col. 5, Line 4), which enables a reduction of a delay in processing because the second data does not depend on the first data.

6. In an analogous art, Ohashi discloses a data block is retransmitted in consecutive sequence with an additional data block initially transmitted by the second one of the plurality of antennas (data transmitted and retransmission needed and antennas switched, Col. 12, Line 43- Col. 13, Line 27); and transmitting additional data blocks through the sequentially selected antennas (data resumes to be transmitted and when retransmission is further needed antennas are again switched, Col. 12, Line 43- Col. 13, Line 27), which enables the best antenna to be used in transmitting data.

7. In an analogous art, Weerackody et al. discloses a sequential selection of antennas including an interruption of sequential selection of the plurality of antennas preventing the first data block from being retransmitted through the first one of the plurality of antennas (Col. 2, Lines 12-25), which enables the use of antenna that has not failed.

8. In an analogous art, Eastmond et al. discloses using a consecutive sequence of additional data (Col. 9, Lines 33-36), which enables proper reassembly of data blocks (Col. 9, Lines 33-36).

Art Unit: 2617

9. It would have been obvious to one having ordinary skill in the art at the time of invention was made to send the second data in order to increase processing time in not waiting for a negative acknowledgement.

10. It would have been obvious to one having ordinary skill in the art at the time of invention was made to receive the first error signal after the transmission (as taught by Hiramatsu) of the second data block when the data is transmitted at the same time (as taught by Odenwalder) in order to allow the system to not wait for a negative acknowledgement.

11. It would have been obvious to one having ordinary skill in the art at the time of invention was made to use a consecutive sequence of additional data to ensure proper reassembly of data blocks (Col. 9, Lines 33-36).

12. It would have been obvious to one having ordinary skill in the art at the time of invention was made to interrupt the selection of the antennas and to use the second antenna to allow the retransmission with an antenna that has not received an error.

13. It would also have been obvious to one having ordinary skill in the art at the time of invention was made to retransmit data, resume antenna selection, and to transmit the data through the antennas sequentially in order to allow the best antenna to be used for transmitting data.

14. It would also have been obvious to one having ordinary skill in the art at the time of invention was made to perform the same process between a first and second antenna as for a second and third antenna thus including a second error signal and

Art Unit: 2617

transmitting to another antenna in order to account for antenna diversity systems that include more than two antennas.

15. Claims 16, 17, 24, and 27-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hiramatsu et al. (US 6600933) in view of Ohashi (US 5799245) and Eastmond et al. (US 6088337) and further in view of Texas Instruments (May 1999, Open Loop Downlink Transmit Diversity for TDD, TSG-RAN WG1 meeting #5), Odenwalder et al. (US 6795508) and Weerackody et al. (US 5689439).

16. Regarding Claim 16, Hiramatsu et al. discloses a antenna selection system including transmitting a data block through a first one of a plurality of selected antennas (Col. 1, Lines 25-30, Fig. 1), receiving a first signal indicating through a check that an error occurred during transmission or reception of the data block after the data block is sent (Col. 6, Lines 41-54), selecting a second one of the plurality of antennas in response to the first error signal and retransmitting the data block through the second one of the plurality of antennas (base station performs antenna change control, Col. 6, Lines 41-54), however Hiramatsu et al. fails to disclose transmitting a second data block through a second one of the plurality of antennas, the first error signal received after transmission of the second data block, the first data block is retransmitted in consecutive sequence with the second data block transmitted by the second one of the plurality of antennas, a sequential antenna selection and interruption of sequential selection of the plurality of antennas preventing the first data block from being retransmitted through the first one of the plurality of antennas; resuming sequential

Art Unit: 2617

selection of the plurality of antennas after the data block is retransmitted through the second one of the plurality of antennas, transmitting additional data blocks through the sequentially selected antennas, and an open loop transmit diversity technique is used to transmit data in the mobile communication system comprising TSTD techniques.

17. In an analogous art, Odenwalder et al. discloses transmitting a second data block through a second one of the plurality of antennas (first and second group of code channels are transmitted at the same time, Col. 4, Line 67- Col. 5, Line 4), which enables a reduction of a delay in processing because the second data does not depend on the first data.

18. In an analogous art, Ohashi discloses a data block is retransmitted in consecutive sequence with an additional data block initially transmitted by the second one of the plurality of antennas (data transmitted and retransmission needed and antennas switched, Col. 12, Line 43- Col. 13, Line 27); resuming sequential selection of the plurality of antennas after the data block is retransmitted through the second one of the plurality of antennas (antenna selection returns to initial state of selecting first antenna, Col. 11, Line 47 - Col. 12, Line 5) and transmitting additional data blocks through the sequentially selected antennas (data resumes to be transmitted and when retransmission is further needed antennas are again switched, Col. 12, Line 43- Col. 13, Line 27), which enables the best antenna to be used in transmitting data.

19. In an analogous art, Weerackody et al. discloses a sequential selection of antennas including an interruption of sequential selection of the plurality of antennas preventing the first data block from being retransmitted through the first one of the

Art Unit: 2617

plurality of antennas (Col. 2, Lines 12-25), which enables the use of antenna that has not failed.

20. In an analogous art, Eastmond et al. discloses using a consecutive sequence of additional data (Col. 9, Lines 33-36), which enables proper reassembly of data blocks (Col. 9, Lines 33-36).

21. In an analogous art, TI discloses an open loop transmit diversity technique is used comprising a TSTD technique (Page 1) to transmit data in the mobile communication system (Page 1), which enables the system to follow standards in place formed by 3GPP.

22. It would have been obvious to one having ordinary skill in the art at the time of invention was made to send the second data in order to increase processing time in not waiting for a negative acknowledgement.

23. It would have been obvious to one having ordinary skill in the art at the time of invention was made to receive the first error signal after the transmission (as taught by Hiramatsu) of the second data block when the data is transmitted at the same time (as taught by Odenwalder) in order to allow the system to not wait for a negative acknowledgement.

24. It would have been obvious to one having ordinary skill in the art at the time of invention was made to use a consecutive sequence of additional data to ensure proper reassembly of data blocks (Col. 9, Lines 33-36).

Art Unit: 2617

25. It would have been obvious to one having ordinary skill in the art at the time of invention was made to interrupt the selection of the antennas and to use the second antenna to allow the retransmission with an antenna that has not received an error.

26. It would also have been obvious to one having ordinary skill in the art at the time of invention was made to retransmit data, resume antenna selection, and to transmit the data through the antennas sequentially in order to allow the best antenna to be used for transmitting data.

27. It would also have been obvious to one having ordinary skill in the art at the time of invention was made to perform the transmission using open loop transmit diversity in a WCDMA system with TSTD in order to follow standards in place formed by 3GPP.

28. Regarding Claim 17, Hiramatsu et al. further discloses selecting the multiple antennas including the first antenna and the second antenna said selection taking place before the first response signal is checked (Terminal transmits messages to base station and base station sends messages to terminal and after retransmission request then antenna change control is enacted, Fig. 16, Item C).

29. Regarding Claim 24, Hiramatsu et al. further discloses transmission and retransmission of the data block are downlink transmissions (Col. 1, Lines 25-30).

30. Regarding Claim 27, Hiramatsu et al. further discloses the first error signal is received based on an ARQ from a receiver (ARQ controls, Col. 11, Lines 38-40).

31. Regarding Claim 28, Hiramatsu et al. discloses receiving a response signal from the receiver however, Hiramatsu et al. fails to disclose the first error signal is a non-acknowledgement signal transmitted from a receiver.

Art Unit: 2617

32. In an analogous art, Eastmond et al. discloses the first error signal is a non-acknowledgement signal transmitted from a receiver (transmit NAK, Col. 5, Lines 56-57), which enables a standard ARQ system.

33. It would have been obvious to one having ordinary skill in the art at the time of invention was made to return a non-acknowledgement signal in order to follow standard operations of an ARQ system which is disclosed as in use by Hiramatsu et al. and Eastmond et al.

Allowable Subject Matter

Claims 1, 2, 4, 11, and 15 are allowed.

The following is a statement of reasons for the indication of allowable subject matter: Regarding Claims 1, 2, 4, 11, and 15, recite specific features in which the prior art of record neither anticipates nor renders obviousness. The closest prior art relevant to applicant's claimed invention is Hiramatsu et al. which teaches a method for transmission diversity which includes an antenna change control circuit that changes the antenna used dependent on a measure SIR in comparison to a threshold.

34. Regarding Claim 1, Hiramatsu et al. discloses an antenna selection system including transmitting a data block through a first one of a plurality of selected antennas (Col. 1, Lines 25-30, Fig. 1), receiving a first signal indicating through a check that an error occurred during transmission or reception of the data block after the data block is sent (Col. 6, Lines 41-54), selecting a second one of the plurality of antennas in

Art Unit: 2617

response to the first error signal and retransmitting the data block through the second one of the plurality of antennas (base station performs antenna change control, Col. 6, Lines 41-54), and transmission and retransmission of the data block occurs through a mobile communication system (Col. 3, Lines 30-34).

35. However Hiramatsu et al. fails to disclose or render obvious transmitting a second data block through a second one of the plurality of antennas, the first error signal received after transmission of the second data block, the first data block is retransmitted only through the second one of the plurality of antennas in consecutive sequence with the second data block transmitted by the second one of the plurality of antennas, a sequential antenna selection and interruption of sequential selection of the plurality of antennas preventing the first data block from being retransmitted through the first one of the plurality of antennas; resuming sequential selection of the plurality of antennas after the data block is retransmitted through the second one of the plurality of antennas, said resuming including transmitting a third data block through the first one of the plurality of antennas and thereafter a fourth data block through the second one of the plurality of antennas after acknowledgement signals are respectively received for the third and fourth data blocks, transmitting additional data blocks through the sequentially selected antennas and an open loop transmit diversity technique is used to transmit data in the mobile communication system comprising TSTD techniques.

36. With respect to claims 2, 4, 11, and 15 are allowed for being dependent on an allowed base claim.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to STEVEN LIM whose telephone number is (571)270-1210. The examiner can normally be reached on Mon-Thurs 9:00am-4:00pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lester Kincaid can be reached on (571)272-7922. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/S. L./
Examiner, Art Unit 2617

/LESTER KINCAID/
Supervisory Patent Examiner, Art Unit 2617